



PROGEF Standard Tee 90° reduced SDR17.6/PN6

Model:

- Material: PP-H
- Conventional butt-welding according to DVS 2207
- IR = Infrared welding compatible

¹with IR welded reducer

* Branch SDR11

	d	d1	SDR	PN	FM	Code	Weight	L	L1	L2	L3	e	e1
	(mm)	(mm)		(bar)			(kg)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
*	63	32	17.6	6	IR	727 208 301	0.120	65	70	25	25	3.6	2.9
	63	50	17.6	6	IR	727 208 302	0.124	65	70	25	25	3.6	2.9
*	75	32	17.6	6	IR	727 208 303	0.178	70	75	25	25	4.3	2.9
	75	50	17.6	6	IR	727 208 304	0.182	70	75	25	25	4.3	2.9
	75	63	17.6	6	IR	727 208 305	0.190	70	75	25	25	4.3	3.6
	90	50	17.6	6	IR	727 208 307	0.305	80	85	25	25	5.1	2.9
	90	63	17.6	6	IR	727 208 308	0.315	80	85	25	25	5.1	3.6
	90	75	17.6	6	IR	727 208 309	0.320	80	85	25	25	5.1	4.3
*	110	32	17.6	6	IR	727 208 310	0.489	90	95	30	25	6.3	2.9
	110	50	17.6	6	IR	727 208 311	0.490	90	95	30	25	6.3	2.9
	110	63	17.6	6	IR	727 208 312	0.491	90	95	30	25	6.3	3.6
	110	75	17.6	6	IR	727 208 313	0.500	90	95	30	25	6.3	4.3
	110	90	17.6	6	IR	727 208 314	0.514	90	95	30	25	6.3	5.1
1	125	63	17.6	6	IR	727 208 015	1.300	125	212	50	20	7.1	3.6
1	125	90	17.6	6	IR	727 208 016	1.400	125	229	50	41	7.1	5.1
1	125	110	17.6	6	IR	727 208 017	1.400	125	218	50	42	7.1	6.3
1	140	75	17.6	6	IR	727 208 018	2.000	160	255	63	41	8.0	4.3
1	140	90	17.6	6	IR	727 208 019	2.100	160	251	63	42	8.0	5.1
1	140	110	17.6	6	IR	727 208 020	2.100	160	240	63	43	8.0	6.3
	160	63	17.6	6	IR	727 208 321	1.535	142	135	50	30	9.1	3.6
	160	75	17.6	6	IR	727 208 322	1.550	142	135	50	30	9.1	4.3
	160	90	17.6	6	IR	727 208 323	1.567	142	135	50	30	9.1	5.1
	160	110	17.6	6	IR	727 208 324	1.577	142	135	50	30	9.1	6.3
1	160	125	17.6	6	IR	727 208 025	2.800	163	275	60	32	9.1	7.1
1	200	160	17.6	6	IR	727 208 035	5.900	220	325	94	40	11.4	9.1
1	200	180	17.6	6	IR	727 208 036	6.000	220	325	94	54	11.4	10.2
	225	90	17.6	6	IR	727 208 338	3.350	155	165	40	30	12.8	5.1
	225	110	17.6	6	IR	727 208 339	3.330	155	165	40	30	12.8	6.3
	225	160	17.6	6	IR	727 208 341	3.427	155	165	40	30	12.8	9.1
1	250	160	17.6	6	IR	727 208 043	8.900	225	389	67	52	14.2	9.1

The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland

Phone +41 -(0)52-631 1111

e-mail: info.ps@georgfischer.com

Internet: <http://www.gfps.com>