





NEW STAR

ref. **5** **New Star 3A** - Accès d'angle à 6 panneaux: 4 coulissants + 2 fixes / *Corner entry with two sliding sections + one fixed panel*


New Star

Polystyrene et Verre 3 mm trempé
de sécurité certifié
*Styrene and Safety glass 3 mm complying
with European Standards*
UNI EN 14428


Hauteur paroi / *Shower height* **185 cm**

OLYMPIC	cm	Bord/ <i>Rim</i> 11,5 cm	Bord/ <i>Rim</i> 4,5 cm	
	75 x 75	OL7511-30	OL754-30	
	80 x 80	OL8011-30	OL804-30	
	90 x 72	OL729011-30	OL72904-30	
	90 x 90	OL9011-30	OL904-30	
	100 x 80	OL1008011-30	OL100804-30	

ref. **5** **New Star 3A** - Accès d'angle à 6 panneaux: 4 coulissants + 2 fixes / *Corner entry with two sliding sections + one fixed panel*




ref. **6** **New Star G** - Porte pivotante / *Pivot door*



Porte en niche ou en union avec 1 ou 2 parois fixes latérales
Door can be installed between two walls and can be combined with 1 or 2 side panels (



ref. **7** **New Star B** - Porte à 2 portes battantes / *Saloon door* - Verre / *Glass* 5 mm - Polystyrene / *Styrene* 3 mm



Porte en niche ou en union avec 1 ou 2 parois fixes latérales
Door can be installed between two walls and can be combined with 1 or 2 side panels (



Code: NSTAR3A66-1A		=	NSTAR3A66-	+		+	1				+	A		
Exemple de composition du code: <i>How to choose your product using the codes:</i>			NSTAR3A66-		S-		D-		1	11	38	43	A	B

Mesures Measurements (cm) **	Passage Access (cm)	Encombrement extérieur de la porte Projection	Code Code	Gauche Left	Droite Right	Choix Verre Glass type			Profilés / Profile		Polystyrene Styrene	Profilés / Profile	
				S-	D-	1	11	38	A	B	43	A	B
VERSION SYMÉTRIQUE / SYMMETRICAL VERSION						Transparent Clear	Niva	Sérig. Punto Punto printing	Blanc White	Silver	Circle	Blanc White	Silver
66 ↔ 72	45		NSTAR3A66-										
72 ↔ 78	50		NSTAR3A72-										
78 ↔ 84	55		NSTAR3A78-										
84 ↔ 90	60		NSTAR3A84-										
VERSION ASYMÉTRIQUE / OFFSET VERSION						Gauche Left	Droite Right						
66 ↔ 72 x 78 ↔ 84	50		NSTAR3A6678										
66 ↔ 72 x 84 ↔ 90	53		NSTAR3A6684										
72 ↔ 78 x 84 ↔ 90	55		NSTAR3A7284										
78 ↔ 84 x 84 ↔ 90	57		NSTAR3A7884										

						1	11	38	A	B	43	A	B
						Transparent Clear	Niva	Sérig. Punto Punto printing	Blanc White	Silver	Circle	Blanc White	Silver
*													
66 ↔ 72	45	45	NSTARG66-										
72 ↔ 78	51	51	NSTARG72-										
78 ↔ 84	52	52	NSTARG78-										
84 ↔ 90	58	58	NSTARG84-										
PORTE EN LARGEUR SPECIALE / SPECIAL WIDTHS													
L 60 ↔ 66	39	39	NSTARG60-										
PORTE EN HAUTEUR SPECIALE / SPECIAL HEIGHTS													
H 140 ↓ 200	—	—	NSTARGSP										

	Passage Access	Encombrement Projection		1	11	38	A	B	43	A	B
				Transparent Clear	Niva	Sérig. Punto Punto printing	Blanc White	Silver	Circle	Blanc White	Silver
	Verre Glass	Polystyrene Styrene	Verre Glass	Polystyrene Styrene							
66 ↔ 72	49	44	20	22	NSTARB66-						
72 ↔ 78	55	50	23	25	NSTARB72-						
78 ↔ 84	61	56	26	28	NSTARB78-						
84 ↔ 90	67	62	29	31	NSTARB84-						
90 ↔ 96	73	68	32	34	NSTARB90-						
96 ↔ 102	79	74	35	37	NSTARB96-						
PORTE EN HAUTEUR SPECIALE / SPECIAL HEIGHTS											
H 140 ↓ 200	—	—			NSTARBSP						

Verre / Glass 5 mm

Polystyrene / Styrene 3 mm


** Les mesures se réfèrent à ce qui a été relevé du mur au bord extérieur du receveur de douche et ils correspondent à l'encombrement effectif de la paroi.
 ** Measurements must be taken from the wall to the external edge of the shower tray, and correspond to the actual dimensions of the shower cubicle.

Données techniques / *Technical data*


Verre *Glass types*



Transparent
Clear



Niva




Sérigraphie Punto
Punto printing



Polystyrene Circle
Styrene Circle

Finition profilés *Profile colours*






Silver



Blanc
White

Comment relever les mesures / *How to take the measurement*



Prendre les mesures du mur au bord extérieur du receveur de douche. Relever les mesures après la pose du carrelage.

Take the measurements from wall to the external edge of the shower tray. Measurements must be taken once the walls are finished and tiled, according to the above drawings.