

Mitigeur bain/douche avec poignée levier

Caractéristiques

- 2 fonctions
- longueur du bec: 200 mm
- distance du centre: 150 mm $\pm$ 16 mm
- type de jet du mitigeur: Jet Normal
- débit maximal sous 3 bar de pression: 18 l/min
- débit du bec de baignoire sous 3 bar de pression: 18 l/min
- débit de la douchette à main sous 3 bar de pression: 16 l/min
- cartouche céramique
- limiteur de température réglable
- inverseur avec réinitialisation automatique
- clapet anti-retour
- avec silencieux
- convient au chauffe-eau instantané
- type de raccordement: raccords S
- montage mural
- design de poignée assorti aux mitigeurs de lavabo Axor Starck
- ACS 21 ACC LY 963 France, valide jusqu'au 05.05.2026

EAN

4011097815855

AirPower


The logo is a circular emblem. The top half of the circle contains the word "ATTESTATION" in a curved path. The center of the circle features the letters "A.C.S." in a large, bold, serif font. The bottom half of the circle contains the words "DE CONFORMITE SANITAIRE" in a curved path.

Technical drawing of the microscope showing front and side views with dimensions. The front view (left) shows a total length of 267 mm, with a distance of 150 ± 16 mm from the base to the eyepiece. The side view (right) shows a total height of 205 mm, with a distance of 196 mm from the base to the eyepiece. The eyepiece has a diameter of 20 mm. The objective lens has a diameter of 43 mm and a distance of 113 mm from the base to the lens. The base has a diameter of 40 mm and a distance of 77 mm from the base to the eyepiece. The drawing also shows a 42 mm dimension for the base and a 43 mm dimension for the eyepiece. The drawing includes a 1:1 scale bar and a 1:1 scale label.

AXOR Starck
Mitigeur bain/douche avec poignée levier
 Finition: **Chromé** Numéro d'article: **10465000**



Schéma d'écoulement




AXOR Starck
Mitigeur bain/douche avec poignée levier
 Finition: **Chromé** Numéro d'article: **10465000**



Vue éclatée

Année de construction: >09/16



AXOR Starck

Mitigeur bain/douche avec poignée levier

Finition: **Chromé** Numéro d'article: **10465000**



Liste des pièces détachées

Année de construction: >09/16

Pos.	Description	Numéro d'article	GP	UE
1	poignée	92927000	93,64 €	1
2	cache vis	96762000	8,39 €	1
3	vis M6x10 DIN 916	96029000	8,39 €	1
4	rosace	96763000	13,98 €	1
5	écrou à six pans	97209000	18,17 €	1
6	joint torique 33x2	98154000	-	1
7	cartouche cpl.	92730000	64,28 €	1
8	joint torique 29x2	98391000	8,39 €	1
9	joint torique 11x2	98127000	8,39 €	1
10	joint torique 12x2	98214000	8,39 €	1
11	inverseur cpl.	96294000	174,68 €	1
12	vis M5x6	98482000	8,39 €	1
13	inverseur	96297000	33,54 €	1
14	joint torique 16x2	98133000	8,39 €	1
15	joint torique 24x2	98388000	8,39 €	1
16	mousseur M30x1 (25 l/min)	96296000	43,33 €	1
17	clé de montage	58085000	13,98 €	1
18	joint torique 13x2	98128000	8,39 €	1
19	raccord	97527000	33,54 €	1
20	set des clapet anti-retour DW 15	94074000	18,17 €	1
21	rosace Ø 59 mm	97507000	33,54 €	1
22	amortisseur anti-coup de bélier	96429000	11,18 €	1
23	set des raccord-S et écrou à six pans	96742000	50,32 €	1
24	joint torique 18x2,5	98139000	8,39 €	1