






|    | A   | B   | C    | D    |
|----|-----|-----|------|------|
| mm | 230 | 150 | 6.5  | 23.5 |
| in | 9.1 | 5.9 | 0.25 | 0.92 |




TOP ACTUATION KIT



Cod. 211743







ESPESSURA MÍNIMA DE PAREDE | MINIMUM WALL THICKNESS | SPESSORE MINIMO DELLA PARETE | ESPESOR MÍNIMO DE PARED | ÉPAISSEUR MINIMALE DU MUR | MINDESTWANDSTÄRKE | MINSTE VEGGTYKKELSE



| OLI70 PLUS                                                                          | OLI74 PLUS                                                                          | OLI120 PLUS                                                                         | QUADRA PLUS                                                                         | EXPERT PLUS                                                                          | EXPERT PLUS                                                                           | OLI80                                                                                 |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |
| 0 mm                                                                                | 0 mm                                                                                | 10 mm                                                                               | 5 mm                                                                                | 0 mm                                                                                 | 0 mm                                                                                  | 0 mm                                                                                  |
| 0 inch                                                                              | 0 inch                                                                              | 0.39 inch                                                                           | 0.19 inch                                                                           | 0 inch                                                                               | 0 inch                                                                                | 0 inch                                                                                |

# FRONT




|                         | A     |       | B     |       |
|-------------------------|-------|-------|-------|-------|
| OLI70 PLUS / OLI74 PLUS | 30 mm | 1.18" | 70 mm | 2.75" |
| EXPERT PLUS - FRONT     | 30 mm | 1.18" | 70 mm | 2.75" |
| QUADRA PLUS             | 40 mm | 1.57" | 55 mm | 2.16" |
| OLI120 PLUS             | 40 mm | 1.57" | 80 mm | 3.14" |

# TOP




TOP ACTUATION KIT





Cod. 211743


1



2




3




4









x2





x2




**TOP**




5




6




7






8




9





10



11

